




WATER FEATURES



MAGICFLAME™

FIRE AND WATER BOWL



MagicFlame Fire and Water Bowl

Dazzle a backyard oasis with the flickering of flames or relax to the soothing sounds of falling water with MagicFlame. With five vibrant color options to match most poolside decors, MagicFlame is the perfect addition to make the pool experience a step away from paradise. Made with glass fiber reinforced concrete, MagicFlame can add warmth to pool ambiances and activate the swimming senses for years to come.

Featured Highlights

- 5 vibrant color options to match most decors
- Beautiful ¾" Lava Rock is included
- Optional Tumbled Lava Rock and Fire Glass available
- 12 VAC Inlet Power
- Hot Surface Ignition - Robust and reliable
- Electronic ignition with weatherproof/anti-corrosion enclosure
- Convenient fire feature lighting and instant flame monitoring
- Glass fiber reinforced concrete bowls for ultimate longevity
 - Lighter and stronger than standard concrete.
- Natural gas or propane compatible
- Custom engineered burner made of corrosion resistant 304 stainless steel
- Automation compatible or operate stand alone

Ordering Information

Product	Description	Carton Qty.	Carton Wt. (Lbs.)
ROUND FIRE BOWL ONLY			
580165	Round 32" Fire Only Bowl, 12V, Bronze	1	230
580166	Round 32" Fire Only Bowl, 12V, Pewter	1	230
580167	Round 32" Fire Only Bowl, 12V, Natural	1	230
580168	Round 32" Fire Only Bowl, 12V, White	1	230
580169	Round 32" Fire Only Bowl, 12V, Black	1	230
ROUND FIRE AND WATER BOWL			
580170	Round 32" Fire and Water Bowl, 12V, Bronze	1	235
580171	Round 32" Fire and Water Bowl, 12V, Pewter	1	235
580172	Round 32" Fire and Water Bowl, 12V, Natural	1	235
580173	Round 32" Fire and Water Bowl, 12V, White	1	235
580174	Round 32" Fire and Water Bowl, 12V, Black	1	235
ROUND WATER BOWL ONLY			
580175	Round 32" Water Only Bowl, 12V, Bronze	1	230
580176	Round 32" Water Only Bowl, Pewter	1	230
580177	Round 32" Water Only Bowl, Natural	1	230
580178	Round 32" Water Only Bowl, White	1	230
580179	Round 32" Water Only Bowl, Black	1	230

Product	Description	Carton Qty.	Carton Wt. (Lbs.)
SQUARE FIRE BOWL ONLY			
580180	Square 32" Fire Only Bowl, 12V, Bronze	1	220
580181	Square 32" Fire Only Bowl, 12V, Pewter	1	220
580182	Square 32" Fire Only Bowl, 12V, Natural	1	220
580183	Square 32" Fire Only Bowl, 12 V, White	1	220
580184	Square 32" Fire Only Bowl, 12V, Black	1	220
SQUARE FIRE AND WATER BOWL			
580185	Square 32" Fire and Water Bowl, 12V, Bronze	1	225
580186	Square 32" Fire and Water Bowl, 12V, Pewter	1	225
580187	Square 32" Fire and Water Bowl, 12V, Natural	1	225
580188	Square 32" Fire and Water Bowl, 12V, White	1	225
580189	Square 32" Fire and Water Bowl, 12V, Black	1	225
SQUARE WATER BOWL ONLY			
580190	Square 32" Water Only Bowl, Bronze	1	220
580191	Square 32" Water Only Bowl, Pewter	1	220
580192	Square 32" Water Only Bowl, Natural	1	220
580193	Square 32" Water Only Bowl, White	1	220
580194	Square 32" Water Only Bowl, Black	1	220

NOTE: Actual finish and colors may vary due to slight difference in material make-up and/or the fabrication process. Please use as a guideline only.

CALIFORNIA PROPOSITION 65 WARNING

⚠️ **WARNING:** Cancer and Reproductive Harm.
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov

MAGICFLAME™


FIRE AND WATER BOWL (CONT'D)



Ordering Information

Product	Description	Carton Qty.	Carton Wt. (Lbs.)
MAGICFLAME ACCESSORIES			
590267	Lava Rock	1	25
590268	Lava Rock Tumbled	1	25
590269	Fire Glass, Black	1	25
590270	Fire Glass, Clear	1	25
590271	Fire Glass, Brown	1	25
590272	Fire Glass, Dark Blue	1	25
590273	Fire Glass, Light Blue	1	25
590274	Fire Glass, Gold	1	25
590289	Round Winterizing Cover	1	3
590290	Square Winterizing Cover	1	3

Dimensions and Performance



MAGICSTREAM® LAMINAR



MagicStream Laminar

TRADEGRADE



Featured Highlights

- Microprocessor-controlled LED light source has the ability to synchronize with the IntelliBrite® 5g LED Pool Lighting for dynamic and synchronized colored light shows
- Provides 5 brilliant fixed colors, 7 dazzling light shows
- Nighttime lighting effects include the ability to hold on a steady color or scroll through a range of available colors.
- Installation is made flush to your deck or other surface; no unsightly or unsafe edges
- Laminar deck lids are available in tan, black, and gray
- The technical principal behind MagicStream Laminars is to remove all turbulence and air bubbles from the water before projecting it through a finely-machined nozzle. The laminar water flow is very non-turbulent, so it keeps its surface tension and flows through the air in a smooth, clean, unbroken stream, instead of spraying apart into droplets.
- Low voltage operation of 12 VAC/16W
- Low flow requirements allow for multiple units per pool
- The perfect complement to IntelliBrite 5g LED Pool Lighting for dynamic and synchronized colored light shows

MagicStream Laminars with 100% synchronization with IntelliBrite 5g LED color and white lights create clear, uniform arcs of moving water that originate from either a pool deck or surrounding landscape. At night, these translucent streams are brilliantly colored, creating a water effect that adds elegant entertainment to your poolscape. It is fully compatible with the IntelliBrite® 5G line of LED pool lights, optional Color Sync Controller and IntelliCenter®, EasyTouch® and IntelliTouch® Automation Systems. Custom program and control light shows using an indoor control panel, wireless remote and the ScreenLogic® Interface using your smart phone, computer or mobile digital device.

Ordering Information

Product	Description	Carton Qty.	Carton Wt.
MAGICSTREAM LAMINARS			
580001B	Laminar LED, Black Lid - 100 ft. cord	1	21
580001G	Laminar LED, Gray Lid - 100 ft. cord	1	21
580001T	Laminar LED, Tan Lid - 100 ft. cord	1	21
580038	Laminar LED, Tan Lid - 150 ft. cord	1	28
580039	Laminar LED, Black Lid - 150 ft. cord	1	28
580040	Laminar LED, Gray Lid - 150 ft. cord	1	28
TRANSFORMERS (LANDSCAPE AND POOL RATED)			
619962	12V-14V 100W	1	12
619963	12V-14V 300W	1	12

Dimensions and Performance

Laminars Performance Data		
Gallons (US GPM)	6.0	7.5
Inlet Pressure (psi)	2.5	3.5
Height of Jet (Ft.)	5.0	6.0

CALIFORNIA PROPOSITION 65 WARNING
 ⚠️ WARNING: Cancer and Reproductive Harm.
 ⚠️ AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠️ ADVERTENCIA: Cáncer y Daño Reproductivo.
 www.p65warnings.ca.gov. 09/2017/14

See page 589 for replacement parts.

DECK JET & MAGICSTREAM® DECK JET II

TRADEGRADE

Featured Highlights

Deck Jet

- Deck Jet includes five interchangeable water effect eyeballs that are easy to remove and simple to change. Also Includes construction shield.
- Streams reach to eight feet, and direction can be easily adjusted
- Low water pressure requirement for minimum impact on pump performance

MagicStream Deck Jet II

- Height is adjustable to a maximum of six feet. Water direction is adjustable up to 360 degrees.
- Easy-to adjust nozzles enable your creativity: concentrate all streams into a single entry point, overlap streams of different heights, or create a symmetrical, multi-stream archway...and more
- Quality design assures low water flow requirements and eliminates any concerns about standing water or unwanted debris collection
- Attractive installation with no unsightly or unsafe edges or screws



Deck Jet



MagicStream Deck Jet II

CALIFORNIA PROPOSITION 65 WARNING
 ⚠️ **WARNING:** Cancer and Reproductive Harm.
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov PR 201714

Deck Jet water effects can be cast into concrete decks and gunite pool walls, mounted in the sidewall of aboveground and vinyl-lined pools, or blended into surrounding landscapes.

MagicStream Deck Jet II creates a graceful arc of water that enters the pool with a gentle splash. The stream seems to appear magically from the pool deck since the jet installs flush and out of sight.

Ordering Information

Product	Description	Carton Qty.	Carton Wt.
DECK JET			
580000	Deck Jet	1	1
MAGICSTREAM DECK JET II			
580003	Magic Stream Deck Jet II	4	3

See page 586 for replacement parts.

COLORVISION® BUBBLER WITH GLOBRITE® LED LIGHTS

TRADEGRADE



Featured Highlights

- Energy efficient color LED lights with vibrant colors
- Provides 5 brilliant fixed colors, 7 dazzling light shows
- Designed for 2 in. - 10 in. of water depth
- Plume height up to 24 in.
- Low voltage operation of 12 VAC / 15W
- Cord length available in 30 ft., 50 ft., 100 ft. or 150 ft.
- Low flow requirements allow for multiple units per pool
- Niche provides for flush mounting
- The perfect complement to IntelliBrite® 5g LED Pool Lighting for dynamic and synchronized colored light shows

The ColorVision Bubbler is a combination of the ColorVision Niche and Pentair GloBrite or MicroBrite LED light to create vivid fountain-like water movement. It is the perfect way to showcase and enhance pool features like sun shelves, steps, beach entries and poolscape elements like ponds and fountains. Its low voltage and minimal water flow requirements make them an ideal, energy-efficient addition to pools, fountains, ponds and more. It is fully compatible with the IntelliBrite 5g line of LED pool lights, optional Color Sync Controller and IntelliCenter®, EasyTouch® and IntelliTouch® Automation Systems. Custom program and control light shows using an indoor control panel, wireless remote and the ScreenLogic® Interface using your smartphone, computer or mobile digital device.

NOTE: GloBrite and MicroBrite LED Lights - sold separately

Ordering Information

Product	Description	Carton Qty.	Carton Wt.
COLORVISION LED LIGHT BUBBLER			
580037	ColorVision Gunitite Niche Kit (Niche only - must order GloBrite separately)	1	6
580036	ColorVision Vinyl/Fiberglass Niche Kit (Niche only - must order GloBrite separately)	1	6

Product	Voltage	Wattage	Cord Length (Ft.)	Carton Qty.	Carton Wt. (Lbs.)
GLOBRITE COLOR LED LIGHTS					
602053	12	15W	30	1	5
602054	12	15W	50	1	9
602055	12	15W	100	1	9
602056	12	15W	150	1	9

Product	Voltage	Wattage	Cord Length (Ft.)	Carton Qty.	Carton Wt. (Lbs.)
GLOBRITE WHITE LED LIGHTS					
602102	12	15W	30	1	5
602103	12	15W	50	1	9
602104	12	15W	100	1	9
602105	12	15W	150	1	9

TRANSFORMERS (LANDSCAPE AND POOL RATED)						
619962		12V-14V		100W	1	12
619963		12V-14V		300W	1	13

ACCESSORIES					
618040		Adapter—MicroBrite to GroBrite			

Product	Light Output	Voltage	Wattage	Cord Length (Ft.)	Carton Qty.	Carton Wt. (Lbs.)
MICROBRITE LED LIGHT WITH GLOBRITE ADAPTER						
602165	White	12	14W	150	1	5
602166	Color	12	14W	150	1	5
602167	Warm White	12	14W	150	1	5

CALIFORNIA PROPOSITION 65 WARNING

⚠️ WARNING: Cancer and Reproductive Harm.
 ⚠️ AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠️ ADVERTENCIA: Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov

All Pentair UL Listed underwater lights are certified for use in fresh water with up to 6,000 ppm salinity.

COLORVISION® BUBBLER WITH GLOBRITE® LED LIGHTS



Dimensions and Certifications


All ColorVision bubblers come with white accessories. Optional color rings are available for the the screw cover color ring and vinyl/fiberglass ring.

CALIFORNIA PROPOSITION 65 WARNING
 ⚠️ **WARNING:** Cancer and Reproductive Harm.
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov PR 201713

COLOR RINGS	
590128Z	Color Ring - Blue
590127Z	Color Ring - Grey
590129Z	Color Ring - Tan
590130Z	Color Ring - Black
590132Z	Vinyl/Fiberglass Ring - Blue
590131Z	Vinyl/Fiberglass Ring - Grey
590133Z	Vinyl/Fiberglass Ring - Tan
590134Z	Vinyl/Fiberglass Ring - Black

GPM	WATER DEPTH									
	2"		4"		6"		8"		10"	
	PLUME HEIGHT									
Nozzle Diameter										
	1/2"	3/4"	1/2"	3/4"	1/2"	3/4"	1/2"	3/4"	1/2"	3/4"
15		20"	42"	11"	28"	8"	14"	6"	12"	4"
20		32"		18"		12"	24"	8"	16"	8"
25				26"		18"		12"	23"	10"
30						25"		16"		14"
35								24"		18"
40								30"		22"
45										26"

Note: Plume height may vary.



All Pentair UL Listed underwater lights are certified for use in fresh water with up to 6,000 ppm salinity.

See page 587 for replacement parts.

MAGICFALLS® WATER EFFECTS

TRADEGRADE



Featured Highlights

- Choose from sheet, curtain and rainfall or arc sheet and rainfall effects
- Individual water effects are available in widths from 8 inches to 8 feet
- Available in six finishes brass, bronze, copper, gray, pewter, or white
- Waterfalls can be straight, curved, or customized
- Vary flow to any water effect with an energy-efficient IntelliFlo® or IntelliPro® Variable Speed Pump to alter the height and distance of the water effect.
- Visit our website to use the interactive waterfall part number configurator tool: www.pentairpool.com

Actual finish and color may vary from the images found herein due to slight differences in material make-up and/or the fabrication process. Please use as a guideline only. All MagicFalls are made to order and non-refundable.

11 Series Lip = 1 in. lip, for all straight waterfalls

12 Series Lip = 6 in. Lip, for Radius Curved Waterfalls

14 Series Lip = 13 in. Lip, for super radius curved waterfalls and custom curved shapes

FACTORY CUT RADIUS CURVES:
Waterfalls with factory cut radius curves are possible on waterfalls with 6in or 13in lips with Waterfall Sheet or Waterfall Rain water effects.

Use the chart below to select the waterfall width and proper lip length for your desired radius curve.

When ordering a waterfall with a factory cut radius, follow these steps:

1. Order the waterfall part number.
2. Then include item number 5890001 on the order to indicate that you need a factory cut radius.
3. Then include a note specifying the exact radius dimension.
4. Be sure to specify "Convex" or "Concave" on your note.



An example of a complete order for a waterfall with a factory cut radius would be:
Item: 581407FSB waterfall.
Item: 5890001 radius charge.
Note: 7 ft convex radius cut.

FACTORY CUT CUSTOM CURVES:
Waterfalls with factory cut custom curves are possible on waterfalls that have 13 in. lips and Waterfall Sheet water effect.

When ordering a waterfall with a factory cut custom curve, follow these steps:

1. Order the waterfall part number.
2. Then include item number 5890002 on the order to indicate that you need a custom curve.
3. Then include a template showing the dimensions of the custom curve shape.

An example of a complete order for a waterfall with a factory cut custom curve would be:
Item: 581407FSB waterfall.
Item: 5890002 custom curve charge.
Note: Refer to enclosed template.

Lip Width Selection Guide for Radius Curve Waterfalls

Pool Section Radius	WATERFALL WIDTH									
	8 IN.	1 FT.	18 IN.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.
1 ft.	12	12 or 14	12 or 14	N/A	N/A	N/A	N/A	N/A	N/A	N/A
1-1/2 ft.	12	12 or 14	12 or 14	12 or 14	N/A	N/A	N/A	N/A	N/A	N/A
2 ft.	12	12 or 14	12 or 14	12 or 14	14	N/A	N/A	N/A	N/A	N/A
2-1/2 ft.	12	12 or 14	12 or 14	12 or 14	14	N/A	N/A	N/A	N/A	N/A
3 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	14	N/A	N/A	N/A	N/A
3-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	14	N/A	N/A	N/A	N/A
4 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	14	14	N/A	N/A	N/A
4-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	14	14	N/A	N/A	N/A
5 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	14	14	N/A	N/A	N/A
5-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14	N/A	N/A
6 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14	N/A	N/A
6-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14	N/A	N/A
7 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14	14	N/A
7-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14	14	N/A
8 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14	14	N/A
8-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14	N/A
9 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14	N/A
9-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14	14
10 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14	14
10-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14	14
11 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14	14
11-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14	14
12 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14
12-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14
13 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14
13-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14
14 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14
14-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14
15 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14
15-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14	14
16 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14
16-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14
17 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14
17-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14
18 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14
18-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14
19 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14
19-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14
20 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	14
20-1/2 ft.	12	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14	12 or 14

MAGICFALLS® WATER EFFECTS (CONT'D)

Ordering Information

Brass	Bronze	Copper	Grey	Pewter	White	Description	Carton Qty.	Carton Wt.
WATERFALL SHEET, 1 IN. LIP								
581100FSB	581100FSZ	581100FSP	581100FSG	581100FSS	581100FSW	SHEET / 1 in. LIP / 8 in. WIDE	1	2
581100FSBBF	581100FSZBF	581100FSPBF	581100FSGBF	581100FSSBF	581100FSWBF	SHEET / 1 in. LIP / 8 in. WIDE / BOTTOM FEED	1	2
581101FSB	581101FSZ	581101FSP	581101FSG	581101FSS	581101FSW	SHEET / 1 in. LIP / 1 ft. WIDE	1	3
581101FSBBF	581101FSZBF	581101FSPBF	581101FSGBF	581101FSSBF	581101FSWBF	SHEET / 1 in. LIP / 1 ft. WIDE / BOTTOM FEED	1	3
581118FSB	581118FSZ	581118FSP	581118FSG	581118FSS	581118FSW	SHEET / 1 in. LIP / 18 in. WIDE	1	4
581118FSBBF	581118FSZBF	581118FSPBF	581118FSGBF	581118FSSBF	581118FSWBF	SHEET / 1 in. LIP / 18 in. WIDE / BOTTOM FEED	1	4
581102FSB	581102FSZ	581102FSP	581102FSG	581102FSS	581102FSW	SHEET / 1 in. LIP / 2 ft. WIDE	1	5
581102FSBBF	581102FSZBF	581102FSPBF	581102FSGBF	581102FSSBF	581102FSWBF	SHEET / 1 in. LIP / 2 ft. WIDE / BOTTOM FEED	1	5
581103FSB	581103FSZ	581103FSP	581103FSG	581103FSS	581103FSW	SHEET / 1 in. LIP / 3 ft. WIDE	1	7
581103FSBBF	581103FSZBF	581103FSPBF	581103FSGBF	581103FSSBF	581103FSWBF	SHEET / 1 in. LIP / 3 ft. WIDE / BOTTOM FEED	1	7
581104FSB	581104FSZ	581104FSP	581104FSG	581104FSS	581104FSW	SHEET / 1 in. LIP / 4 ft. WIDE	1	9
581104FSBBF	581104FSZBF	581104FSPBF	581104FSGBF	581104FSSBF	581104FSWBF	SHEET / 1 in. LIP / 4 ft. WIDE / BOTTOM FEED	1	9
581105FSB	581105FSZ	581105FSP	581105FSG	581105FSS	581105FSW	SHEET / 1 in. LIP / 5 ft. WIDE	1	11
581106FSB	581106FSZ	581106FSP	581106FSG	581106FSS	581106FSW	SHEET / 1 in. LIP / 6 ft. WIDE	1	15
581107FSB	581107FSZ	581107FSP	581107FSG	581107FSS	581107FSW	SHEET / 1 in. LIP / 7 ft. WIDE	1	18
581108FSB	581108FSZ	581108FSP	581108FSG	581108FSS	581108FSW	SHEET / 1 in. LIP / 8 ft. WIDE	1	21
WATERFALL SHEET, 6 IN. LIP								
581200FSB	581200FSZ	581200FSP	581200FSG	581200FSS	581200FSW	SHEET / 6 in. LIP / 8 in. WIDE	1	3
581200FSBBF	581200FSZBF	581200FSPBF	581200FSGBF	581200FSSBF	581200FSWBF	SHEET / 6 in. LIP / 8 in. WIDE / BOTTOM FEED	1	3
581201FSB	581201FSZ	581201FSP	581201FSG	581201FSS	581201FSW	SHEET / 6 in. LIP / 1 ft. WIDE	1	5
581201FSBBF	581201FSZBF	581201FSPBF	581201FSGBF	581201FSSBF	581201FSWBF	SHEET / 6 in. LIP / 1 ft. WIDE / BOTTOM FEED	1	5
581218FSB	581218FSZ	581218FSP	581218FSG	581218FSS	581218FSW	SHEET / 6 in. LIP / 18 in. WIDE	1	6
581218FSBBF	581218FSZBF	581218FSPBF	581218FSGBF	581218FSSBF	581218FSWBF	SHEET / 6 in. LIP / 18 in. WIDE / BOTTOM FEED	1	6
581202FSB	581202FSZ	581202FSP	581202FSG	581202FSS	581202FSW	SHEET / 6 in. LIP / 2 ft. WIDE	1	8
581202FSBBF	581202FSZBF	581202FSPBF	581202FSGBF	581202FSSBF	581202FSWBF	SHEET / 6 in. LIP / 2 ft. WIDE / BOTTOM FEED	1	8
581203FSB	581203FSZ	581203FSP	581203FSG	581203FSS	581203FSW	SHEET / 6 in. LIP / 3 ft. WIDE	1	12
581203FSBBF	581203FSZBF	581203FSPBF	581203FSGBF	581203FSSBF	581203FSWBF	SHEET / 6 in. LIP / 3 ft. WIDE / BOTTOM FEED	1	12
581204FSB	581204FSZ	581204FSP	581204FSG	581204FSS	581204FSW	SHEET / 6 in. LIP / 4 ft. WIDE	1	16
581204FSBBF	581204FSZBF	581204FSPBF	581204FSGBF	581204FSSBF	581204FSWBF	SHEET / 6 in. LIP / 4 ft. WIDE / BOTTOM FEED	1	16
581205FSB	581205FSZ	581205FSP	581205FSG	581205FSS	581205FSW	SHEET / 6 in. LIP / 5 ft. WIDE	1	20
581206FSB	581206FSZ	581206FSP	581206FSG	581206FSS	581206FSW	SHEET / 6 in. LIP / 6 ft. WIDE	1	27
581207FSB	581207FSZ	581207FSP	581207FSG	581207FSS	581207FSW	SHEET / 6 in. LIP / 7 ft. WIDE	1	31
581208FSB	581208FSZ	581208FSP	581208FSG	581208FSS	581208FSW	SHEET / 6 in. LIP / 8 ft. WIDE	1	36
WATERFALL SHEET, 13 IN. LIP								
581401FSB	581401WFZG	581401FSP	581401FSG	581401FSS	581401FSW	SHEET / 13 in. LIP / 1 ft. WIDE	1	8
581401FSBBF	581401FSZBF	581401FSPBF	581401FSGBF	581401FSSBF	581401FSWBF	SHEET / 13 in. LIP / 1 ft. WIDE / BOTTOM FEED	1	8
581418FSB	581418FSZ	581418FSP	581418FSG	581418FSS	581418FSW	SHEET / 13 in. LIP / 18 in. WIDE	1	12
581418FSBBF	581418FSZBF	581418FSPBF	581418FSGBF	581418FSSBF	581418FSWBF	SHEET / 13 in. LIP / 18 in. WIDE / BOTTOM FEED	1	12
581402FSB	581402FSZ	581402FSP	581402FSG	581402FSS	581402FSW	SHEET / 13 in. LIP / 2 ft. WIDE	1	16
581402FSBBF	581402FSZBF	581402FSPBF	581402FSGBF	581402FSSBF	581402FSWBF	SHEET / 13 in. LIP / 2 ft. WIDE / BOTTOM FEED	1	16
581403FSB	581403FSZ	581403FSP	581403FSG	581403FSS	581403FSW	SHEET / 13 in. LIP / 3 ft. WIDE	1	22
581403FSBBF	581403FSZBF	581403FSPBF	581403FSGBF	581403FSSBF	581403FSWBF	SHEET / 13 in. LIP / 3 ft. WIDE / BOTTOM FEED	1	22
581404FSB	581404FSZ	581404FSP	581404FSG	581404FSS	581404FSW	SHEET / 13 in. LIP / 4 ft. WIDE	1	29
581404FSBBF	581404FSZBF	581404FSPBF	581404FSGBF	581404FSSBF	581404FSWBF	SHEET / 13 in. LIP / 4 ft. WIDE / BOTTOM FEED	1	29
581405FSB	581405FSZ	581405FSP	581405FSG	581405FSS	581405FSW	SHEET / 13 in. LIP / 5 ft. WIDE	1	34
581406FSB	581406FSZ	581406FSP	581406FSG	581406FSS	581406FSW	SHEET / 13 in. LIP / 6 ft. WIDE	1	42
581407FSB	581407FSZ	581407FSP	581407FSG	581407FSS	581407FSW	SHEET / 13 in. LIP / 7 ft. WIDE	1	48
581408FSB	581408FSZ	581408FSP	581408FSG	581408FSS	581408FSW	SHEET / 13 in. LIP / 8 ft. WIDE	1	56

MAGICFALLS® WATER EFFECTS (CONT'D)

Ordering Information

Brass	Bronze	Copper	Grey	Pewter	White	Description	Carton Qty.	Carton Wt.
WATERFALL CURTAIN, 6 IN. LIP								
581200FCB	581200FCZ	581200FCP	581200FCG	581200FCS	581200FCW	CURTAIN / 6 in. LIP / 8 in. WIDE	1	3
581200FCBBF	581200FCZBF	581200FCPBF	581200FCGBF	581200FCSBF	581200FCWBF	CURTAIN / 6 in. LIP / 8 in. WIDE / BOTTOM FEED	1	3
581201FCB	581201FCZ	581201FCP	581201FCG	581201FCS	581201FCW	CURTAIN / 6 in. LIP / 1 ft. WIDE	1	5
581201FCBBF	581201FCZBF	581201FCPBF	581201FCGBF	581201FCSBF	581201FCWBF	CURTAIN / 6 in. LIP / 1 ft. WIDE / BOTTOM FEED	1	5
581218FCB	581218FCZ	581218FCP	581218FCG	581218FCS	581218FCW	CURTAIN / 6 in. LIP / 18 in. WIDE	1	6
581218FCBBF	581218FCZBF	581218FCPBF	581218FCGBF	581218FCSBF	581218FCWBF	CURTAIN / 6 in. LIP / 18 in. WIDE / BOTTOM FEED	1	6
581202FCB	581202FCZ	581202FCP	581202FCG	581202FCS	581202FCW	CURTAIN / 6 in. LIP / 2 ft. WIDE	1	8
581202FCBBF	581202FCZBF	581202FCPBF	581202FCGBF	581202FCSBF	581202FCWBF	CURTAIN / 6 in. LIP / 2 ft. WIDE / BOTTOM FEED	1	8
581203FCB	581203FCZ	581203FCP	581203FCG	581203FCS	581203FCW	CURTAIN / 6 in. LIP / 3 ft. WIDE	1	12
581203FCBBF	581203FCZBF	581203FCPBF	581203FCGBF	581203FCSBF	581203FCWBF	CURTAIN / 6 in. LIP / 3 ft. WIDE / BOTTOM FEED	1	12
581204FCB	581204FCZ	581204FCP	581204FCG	581204FCS	581204FCW	CURTAIN / 6 in. LIP / 4 ft. WIDE	1	16
581204FCBBF	581204FCZBF	581204FCPBF	581204FCGBF	581204FCSBF	581204FCWBF	CURTAIN / 6 in. LIP / 4 ft. WIDE / BOTTOM FEED	1	16
581205FCB	581205FCZ	581205FCP	581205FCG	581205FCS	581205FCW	CURTAIN / 6 in. LIP / 5 ft. WIDE	1	20
581206FCB	581206FCZ	581206FCP	581206FCG	581206FCS	581206FCW	CURTAIN / 6 in. LIP / 6 ft. WIDE	1	27
581207FCB	581207FCZ	581207FCP	581207FCG	581207FCS	581207FCW	CURTAIN / 6 in. LIP / 7 ft. WIDE	1	31
581208FCB	581208FCZ	581208FCP	581208FCG	581208FCS	581208FCW	CURTAIN / 6 in. LIP / 8 ft. WIDE	1	36
WATERFALL CURTAIN, 13 IN. LIP								
581401FCB	581401FCZ	581401FCP	581401FCG	581401FCS	581401FCW	CURTAIN / 13 in. LIP / 1 ft. WIDE	1	8
581401FCBBF	581401FCZBF	581401FCPBF	581401FCGBF	581401FCSBF	581401FCWBF	CURTAIN / 13 in. LIP / 1 ft. WIDE / BOTTOM FEED	1	8
581418FCB	581418FCZ	581418FCP	581418FCG	581418FCS	581418FCW	CURTAIN / 13 in. LIP / 18 in. WIDE	1	12
581418FCBBF	581418FCZBF	581418FCPBF	581418FCGBF	581418FCSBF	581418FCWBF	CURTAIN / 13 in. LIP / 18 in. WIDE / BOTTOM FEED	1	12
581402FCB	581402FCZ	581402FCP	581402FCG	581402FCS	581402FCW	CURTAIN / 13 in. LIP / 2 ft. WIDE	1	16
581402FCBBF	581402FCZBF	581402FCPBF	581402FCGBF	581402FCSBF	581402FCWBF	CURTAIN / 13 in. LIP / 2 ft. WIDE / BOTTOM FEED	1	16
581403FCB	581403FCZ	581403FCP	581403FCG	581403FCS	581403FCW	CURTAIN / 13 in. LIP / 3 ft. WIDE	1	22
581403FCBBF	581403FCZBF	581403FCPBF	581403FCGBF	581403FCSBF	581403FCWBF	CURTAIN / 13 in. LIP / 3 ft. WIDE / BOTTOM FEED	1	22
581404FCB	581404FCZ	581404FCP	581404FCG	581404FCS	581404FCW	CURTAIN / 13 in. LIP / 4 ft. WIDE	1	29
581404FCBBF	581404FCZBF	581404FCPBF	581404FCGBF	581404FCSBF	581404FCWBF	CURTAIN / 13 in. LIP / 4 ft. WIDE / BOTTOM FEED	1	29
581405FCB	581405FCZ	581405FCP	581405FCG	581405FCS	581405FCW	CURTAIN / 13 in. LIP / 5 ft. WIDE	1	34
581406FCB	581406FCZ	581406FCP	581406FCG	581406FCS	581406FCW	CURTAIN / 13 in. LIP / 6 ft. WIDE	1	42
581407FCB	581407FCZ	581407FCP	581407FCG	581407FCS	581407FCW	CURTAIN / 13 in. LIP / 7 ft. WIDE	1	48
581408FCB	581408FCZ	581408FCP	581408FCG	581408FCS	581408FCW	CURTAIN / 13 in. LIP / 8 ft. WIDE	1	56


NOTES TO INSTALLERS:

1. Waterfalls Widths 5 ft.–8 ft. have two (2) Rear 1-1/2 in. Slip Male connections AND a precut manifold to balance the flow.
2. Not all Water Effects are available in all lengths. Check Price List to confirm availability.
3. Radius and Custom Curves require the use of additional option part numbers. Must specify radius and convex pool or concave pool, OR provide template (custom curve shape).

FACTORY CUT CURVES

Factory Radius Cut: 12 & 14 Series (P/N 5890001)

Custom Curve Shape: 14 Series (P/N 5890002)



MAGICFALLS® WATER EFFECTS (CONT'D)

Brass	Bronze	Copper	Grey	Pewter	White	Description	Carton Qty.	Carton Wt.
WATERFALL RAIN, 6 IN. LIP								
581200FRB	581200FRZ	581200FRP	581200FRG	581200FRS	581200FRW	RAIN / 6 in. LIP / 8 in. WIDE	1	3
581200FRBBF	581200FRZBF	581200FRPBF	581200FRGBF	581200FRSBF	581200FRWBF	RAIN / 6 in. LIP / 8 in. WIDE / BOTTOM FEED	1	3
581201FRB	581201FRZ	581201FRP	581201FRG	581201FRS	581201FRW	RAIN / 6 in. LIP / 1 ft. WIDE	1	5
581201FRBBF	581201FRZBF	581201FRPBF	581201FRGBF	581201FRSBF	581201FRWBF	RAIN / 6 in. LIP / 1 ft. WIDE / BOTTOM FEED	1	5
581218FRB	581218FRZ	581218FRP	581218FRG	581218FRS	581218FRW	RAIN / 6 in. LIP / 18 in. WIDE	1	6
581218FRBBF	581218FRZBF	581218FRPBF	581218FRGBF	581218FRSBF	581218FRWBF	RAIN / 6 in. LIP / 18 in. WIDE / BOTTOM FEED	1	6
581202FRB	581202FRZ	581202FRP	581202FRG	581202FRS	581202FRW	RAIN / 6 in. LIP / 2 ft. WIDE	1	8
581202FRBBF	581202FRZBF	581202FRPBF	581202FRGBF	581202FRSBF	581202FRWBF	RAIN / 6 in. LIP / 2 ft. WIDE / BOTTOM FEED	1	8
581203FRB	581203FRZ	581203FRP	581203FRG	581203FRS	581203FRW	RAIN / 6 in. LIP / 3 ft. WIDE	1	12
581203FRBBF	581203FRZBF	581203FRPBF	581203FRGBF	581203FRSBF	581203FRWBF	RAIN / 6 in. LIP / 3 ft. WIDE / BOTTOM FEED	1	12
581204FRB	581204FRZ	581204FRP	581204FRG	581204FRS	581204FRW	RAIN / 6 in. LIP / 4 ft. WIDE	1	16
581204FRBBF	581204FRZBF	581204FRPBF	581204FRGBF	581204FRSBF	581204FRWBF	RAIN / 6 in. LIP / 4 ft. WIDE / BOTTOM FEED	1	16
581205FRB	581205FRZ	581205FRP	581205FRG	581205FRS	581205FRW	RAIN / 6 in. LIP / 5 ft. WIDE	1	20
581206FRB	581206FRZ	581206FRP	581206FRG	581206FRS	581206FRW	RAIN / 6 in. LIP / 6 ft. WIDE	1	27
581207FRB	581207FRZ	581207FRP	581207FRG	581207FRS	581207FRW	RAIN / 6 in. LIP / 7 ft. WIDE	1	31
581208FRB	581208FRZ	581208FRP	581208FRG	581208FRS	581208FRW	RAIN / 6 in. LIP / 8 ft. WIDE	1	36
WATERFALL RAIN, 13 in. LIP								
581401FRB	581401FRZ	581401FRP	581401FRG	581401FRS	581401FRW	RAIN / 13 in. LIP / 1 ft. WIDE	1	8
581401FRBBF	581401FRZBF	581401FRPBF	581401FRGBF	581401FRSBF	581401FRWBF	RAIN / 13 in. LIP / 1 ft. WIDE / BOTTOM FEED	1	8
581418FRB	581418FRZ	581418FRP	581418FRG	581418FRS	581418FRW	RAIN / 13 in. LIP / 18 in. WIDE	1	12
581418FRBBF	581418FRZBF	581418FRPBF	581418FRGBF	581418FRSBF	581418FRWBF	RAIN / 13 in. LIP / 18 in. WIDE / BOTTOM FEED	1	12
581402FRB	581402FRZ	581402FRP	581402FRG	581402FRS	581402FRW	RAIN / 13 in. LIP / 2 ft. WIDE	1	16
581402FRBBF	581402FRZBF	581402FRPBF	581402FRGBF	581402FRSBF	581402FRWBF	RAIN / 13 in. LIP / 2 ft. WIDE / BOTTOM FEED	1	16
581403FRB	581403FRZ	581403FRP	581403FRG	581403FRS	581403FRW	RAIN / 13 in. LIP / 3 ft. WIDE	1	22
581403FRBBF	581403FRZBF	581403FRPBF	581403FRGBF	581403FRSBF	581403FRWBF	RAIN / 13 in. LIP / 3 ft. WIDE / BOTTOM FEED	1	22
581404FRB	581404FRZ	581404FRP	581404FRG	581404FRS	581404FRW	RAIN / 13 in. LIP / 4 ft. WIDE	1	29
581404FRBBF	581404FRZBF	581404FRPBF	581404FRGBF	581404FRSBF	581404FRWBF	RAIN / 13 in. LIP / 4 ft. WIDE / BOTTOM FEED	1	29
581405FRB	581405FRZ	581405FRP	581405FRG	581405FRS	581405FRW	RAIN / 13 in. LIP / 5 ft. WIDE	1	34
581406FRB	581406FRZ	581406FRP	581406FRG	581406FRS	581406FRW	RAIN / 13 in. LIP / 6 ft. WIDE	1	42
581407FRB	581407FRZ	581407FRP	581407FRG	581407FRS	581407FRW	RAIN / 13 in. LIP / 7 ft. WIDE	1	48
581408FRB	581408FRZ	581408FRP	581408FRG	581408FRS	581408FRW	RAIN / 13 in. LIP / 8 ft. WIDE	1	56
ARC SHEET, 6 IN. LIP								
581200ASB	581200ASZ	581200ASP	581200ASG	581200ASS	581200ASW	ARC SHEET / 6 in. LIP / 8 in. WIDE	1	3
581200ASBBF	581200ASZBF	581200ASPBF	581200ASGBF	581200ASSBF	581200ASWBF	ARC SHEET / 6 in. LIP / 8 in. WIDE / BOTTOM FEED	1	3
581201ASB	581201ASZ	581201ASP	581201ASG	581201ASS	581201ASW	ARC SHEET / 6 in. LIP / 1 ft. WIDE	1	5
581201ASBBF	581201ASZBF	581201ASPBF	581201ASGBF	581201ASSBF	581201ASWBF	ARC SHEET / 6 in. LIP / 1 ft. WIDE / BOTTOM FEED	1	5
581218ASB	581218ASZ	581218ASP	581218ASG	581218ASS	581218ASW	ARC SHEET / 6 in. LIP / 18 in. WIDE	1	6
581218ASBBF	581218ASZBF	581218ASPBF	581218ASGBF	581218ASSBF	581218ASWBF	ARC SHEET / 6 in. LIP / 18 in. WIDE / BOTTOM FEED	1	6
581202ASB	581202ASZ	581202ASP	581202ASG	581202ASS	581202ASW	ARC SHEET / 6 in. LIP / 2 ft. WIDE	1	8
581202ASBBF	581202ASZBF	581202ASPBF	581202ASGBF	581202ASSBF	581202ASWBF	ARC SHEET / 6 in. LIP / 2 ft. WIDE / BOTTOM FEED	1	8
ARC SHEET, 13 IN. LIP								
581401ASB	581401ASZ	581401ASP	581401ASG	581401ASS	581401ASW	ARC SHEET / 13 in. LIP / 1 ft. WIDE	1	8
581401ASBBF	581401ASZBF	581401ASPBF	581401ASGBF	581401ASSBF	581401ASWBF	ARC SHEET / 13 in. LIP / 1 ft. WIDE / BOTTOM FEED	1	8
581418ASB	581418ASZ	581418ASP	581418ASG	581418ASS	581418ASW	ARC SHEET / 13 in. LIP / 18 in. WIDE	1	12
581418ASBBF	581418ASZBF	581418ASPBF	581418ASGBF	581418ASSBF	581418ASWBF	ARC SHEET / 13 in. LIP / 18 in. WIDE / BOTTOM FEED	1	12
581402ASB	581402ASZ	581402ASP	581402ASG	581402ASS	581402ASW	ARC SHEET / 13 in. LIP / 2 ft. WIDE	1	16
581402ASBBF	581402ASZBF	581402ASPBF	581402ASGBF	581402ASSBF	581402ASWBF	ARC SHEET / 13 in. LIP / 2 ft. WIDE / BOTTOM FEED	1	16

MAGICFALLS® WATER EFFECTS (CONT'D)

Ordering Information

Brass	Bronze	Copper	Grey	Pewter	White	Description	Carton Qty.	Carton Wt.
ARC RAIN, 6 IN. LIP								
581200ARB	581200ARZ	581200ARP	581200ARG	581200ARS	581200ARW	ARC RAIN / 6 in. LIP / 8 in. WIDE	1	3
581200ARBBF	581200ARZBF	581200ARPBF	581200ARGBF	581200ARSBF	581200ARWBF	ARC RAIN / 6 in. LIP / 8 in. WIDE / BOTTOM FEED	1	3
581201ARB	581201ARZ	581201ARP	581201ARG	581201ARS	581201ARW	ARC RAIN / 6 in. LIP / 1 ft. WIDE	1	5
581201ARBBF	581201ARZBF	581201ARPBF	581201ARGBF	581201ARSBF	581201ARWBF	ARC RAIN / 6 in. LIP / 1 ft. WIDE / BOTTOM FEED	1	5
581218ARB	581218ARZ	581218ARP	581218ARG	581218ARS	581218ARW	ARC RAIN / 6 in. LIP / 18 in. WIDE	1	6
581218ARBBF	581218ARZBF	581218ARPBF	581218ARGBF	581218ARSBF	581218ARWBF	ARC RAIN / 6 in. LIP / 18 in. WIDE / BOTTOM FEED	1	6
581202ARB	581202ARZ	581202ARP	581202ARG	581202ARS	581202ARW	ARC RAIN / 6 in. LIP / 2 ft. WIDE	1	8
581202ARBBF	581202ARZBF	581202ARPBF	581202ARGBF	581202ARSBF	581202ARWBF	ARC RAIN / 6 in. LIP / 2 ft. WIDE / BOTTOM FEED	1	8
581203ARB	581203ARZ	581203ARP	581203ARG	581203ARS	581203ARW	ARC RAIN / 6 in. LIP / 3 ft. WIDE	1	12
581203ARBBF	581203ARZBF	581203ARPBF	581203ARGBF	581203ARSBF	581203ARWBF	ARC RAIN / 6 in. LIP / 3 ft. WIDE / BOTTOM FEED	1	12
581204ARB	581204ARZ	581204ARP	581204ARG	581204ARS	581204ARW	ARC RAIN / 6 in. LIP / 4 ft. WIDE	1	16
581204ARBBF	581204ARZBF	581204ARPBF	581204ARGBF	581204ARSBF	581204ARWBF	ARC RAIN / 6 in. LIP / 4 ft. WIDE / BOTTOM FEED	1	16
581205ARB	581205ARZ	581205ARP	581205ARG	581205ARS	581205ARW	ARC RAIN / 6 in. LIP / 5 ft. WIDE	1	20
581206ARB	581206ARZ	581206ARP	581206ARG	581206ARS	581206ARW	ARC RAIN / 6 in. LIP / 6 ft. WIDE	1	27
581207ARB	581207ARZ	581207ARP	581207ARG	581207ARS	581207ARW	ARC RAIN / 6 in. LIP / 7 ft. WIDE	1	31
581208ARB	581208ARZ	581208ARP	581208ARG	581208ARS	581208ARW	ARC RAIN / 6 in. LIP / 8 ft. WIDE	1	36
ARC RAIN, 13 IN. LIP								
581401ARB	581401ARZ	581401ARP	581401ARG	581401ARS	581401ARW	ARC RAIN / 13 in. LIP / 1 ft. WIDE	1	8
581401ARBBF	581401ARZBF	581401ARPBF	581401ARGBF	581401ARSBF	581401ARWBF	ARC RAIN / 13 in. LIP / 1 ft. WIDE / BOTTOM FEED	1	8
581418ARB	581418ARZ	581418ARP	581418ARG	581418ARS	581418ARW	ARC RAIN / 13 in. LIP / 18 in. WIDE	1	12
581418ARBBF	581418ARZBF	581418ARPBF	581418ARGBF	581418ARSBF	581418ARWBF	ARC RAIN / 13 in. LIP / 18 in. WIDE / BOTTOM FEED	1	12
581402ARB	581402ARZ	581402ARP	581402ARG	581402ARS	581402ARW	ARC RAIN / 13 in. LIP / 2 ft. WIDE	1	16
581402ARBBF	581402ARZBF	581402ARPBF	581402ARGBF	581402ARSBF	581402ARWBF	ARC RAIN / 13 in. LIP / 2 ft. WIDE / BOTTOM FEED	1	16
581403ARB	581403ARZ	581403ARP	581403ARG	581403ARS	581403ARW	ARC RAIN / 13 in. LIP / 3 ft. WIDE	1	22
581403ARBBF	581403ARZBF	581403ARPBF	581403ARGBF	581403ARSBF	581403ARWBF	ARC RAIN / 13 in. LIP / 3 ft. WIDE / BOTTOM FEED	1	22
581404ARB	581404ARZ	581404ARP	581404ARG	581404ARS	581404ARW	ARC RAIN / 13 in. LIP / 4 ft. WIDE	1	29
581404ARBBF	581404ARZBF	581404ARPBF	581404ARGBF	581404ARSBF	581404ARWBF	ARC RAIN / 13 in. LIP / 4 ft. WIDE / BOTTOM FEED	1	29
581405ARB	581405ARZ	581405ARP	581405ARG	581405ARS	581405ARW	ARC RAIN / 13 in. LIP / 5 ft. WIDE	1	34
581406ARB	581406ARZ	581406ARP	581406ARG	581406ARS	581406ARW	ARC RAIN / 13 in. LIP / 6 ft. WIDE	1	42
581407ARB	581407ARZ	581407ARP	581407ARG	581407ARS	581407ARW	ARC RAIN / 13 in. LIP / 7 ft. WIDE	1	48
581408ARB	581408ARZ	581408ARP	581408ARG	581408ARS	581408ARW	ARC RAIN / 13 in. LIP / 8 ft. WIDE	1	56

NOTES TO INSTALLERS:

1. Waterfalls Widths 5 ft.–8 ft. have two (2) Rear 1-1/2 in. Slip Male connections AND a precut manifold to balance the flow.
2. Not all Water Effects are available in all lengths. Check Price List to confirm availability.
3. Radius and Custom Curves require the use of additional option part numbers. Must specify radius and convex pool or concave pool, OR provide template (custom curve shape).

FACTORY CUT CURVES

Factory Radius Cut: 12 & 14 Series (P/N 5890001)

Custom Curve Shape: 14 Series (P/N 5890002)

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov
P65B07A